

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(HIGUCHI.in. near2 "YOSHINARI.in") or (EBATO.in. near2 SATOSHI.in.) or (LEKI.in. near2 SHINJI.in.)	USPAT	OR	ON	2006/05/30 10:16
L2	60	(HIGUCHI.in. near2 "YOSHINARI.in") or (EBATO.in. near2 SATOSHI.in.) or (LEKI.in. near2 SHINJI.in.)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/30 10:22
L3	3	(HIGUCHI.in. near2 "YOSHINARI.in") or (EBATO.in. near2 SATOSHI.in.) or (LEKI.in. near2 SHINJI.in.)	US-PGPUB	OR	ON	2006/05/30 10:22
S1	33	((348/372).CCLS.) and remaining	USPAT	OR	ON	2006/05/30 10:14
S2	5	((348/372).CCLS.) and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2005/04/01 18:43
S3	77	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2003/09/24 12:07
S4	6	"348"/\$ and (remain\$3 with battery) and warn\$3 and subtract\$3	USPAT	OR	ON	2003/09/24 12:08
S5	140	(348/372).CCLS.	USPAT; USOCR	OR	OFF	2003/09/24 13:22
S6	10	("5206097" "5248929" "5315228" "5477129" "5559554" "5742341" "5955869" "6008620" "6018228" "6034507").PN.	USPAT	OR	ON	2003/09/24 12:37
S7	83	battery adj level same warning	USPAT	OR	ON	2003/09/24 13:40
S8	4	((("4984185") or ("4929931") or ("4598243") or ("5287286"))).PN.	USPAT; USOCR	OR	OFF	2003/09/24 15:00
S9	14	battery adj level same warning and camera	USPAT	OR	ON	2003/09/24 13:40
S10	246	batter\$3 near3 remain\$3 with (warn\$3 or alarm\$3)	USPAT	OR	ON	2003/09/24 15:14
S11	3618	batter\$3 near3 monitor	USPAT	OR	ON	2003/09/24 15:14
S12	77	batter\$3 near3 monitor same camera	USPAT	OR	ON	2003/09/24 16:15
S13	842	batter\$3 near information	USPAT	OR	ON	2003/09/24 16:15
S14	48	batter\$3 near information with processor	USPAT	OR	ON	2003/09/24 16:20
S15	0	"6584329".URPN.	USPAT	OR	ON	2003/09/24 16:25

EAST Search History

S16	4	("5159684" "5541489" "5796239" "5870685").PN.	USPAT	OR	ON	2003/09/24 16:25
S17	53	smart adj battery with capacity	USPAT	OR	ON	2003/09/24 16:58
S18	1	("5,633,573").PN.	USPAT; USOCR	OR	OFF	2003/09/24 17:39
S19	273	low adj battery adj warning	USPAT	OR	ON	2003/09/24 17:39
S20	53	low adj battery adj warning with display	USPAT	OR	ON	2003/09/25 10:53
S21	1	("6522361").PN.	USPAT; USOCR	OR	OFF	2003/09/25 10:49
S22	15	camera same battery adj warning	US-PGPUB; USPAT; EPO; JPO	OR	ON	2003/09/25 10:51
S23	8	camera same battery adj alarm	US-PGPUB; USPAT; EPO; JPO	OR	ON	2003/09/25 10:51
S24	16	low adj battery adj warning and camera	USPAT	OR	ON	2003/09/25 10:53
S25	23	(video adj camera) same (smart adj battery)	USPAT	OR	ON	2003/09/25 11:33
S26	1	("5633573").PN.	USPAT; USOCR	OR	OFF	2003/09/25 14:01
S27	14	(US-6434337-\$ or US-6362851-\$ or US-5541656-\$ or US-5142320-\$ or US-4269494-\$ or US-6597339-\$ or US-6064183-\$ or US-6584329-\$ or US-5963255-\$ or US-6586940-\$ or US-6157169-\$ or US-5727241-\$ or US-6154004-\$ or US-6025695-\$).did.	USPAT	OR	OFF	2004/03/15 16:15
S28	5	((US-6434337-\$ or US-6362851-\$ or US-5541656-\$ or US-5142320-\$ or US-4269494-\$ or US-6597339-\$ or US-6064183-\$ or US-6584329-\$ or US-5963255-\$ or US-6586940-\$ or US-6157169-\$ or US-5727241-\$ or US-6154004-\$ or US-6025695-\$).did.) and cell	USPAT	OR	OFF	2004/03/15 16:24
S29	12	"9900303"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 16:50
S30	4	("5159684" "5541489" "5796239" "5870685").PN.	USPAT	OR	ON	2004/03/15 16:26

EAST Search History

S31	1	smart adj battery same maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:04
S32	23	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/03/15 17:56
S33	1	("4598243").PN.	USPAT; USOCR	OR	OFF	2004/03/15 17:57
S34	1	("5,650,712").PN.	USPAT; USOCR	OR	OFF	2004/03/17 11:44
S35	0	("61571694598243").PN.	USPAT	OR	OFF	2005/04/01 18:44
S36	2	((("6157169") or ("4598243"))).PN.	USPAT	OR	OFF	2005/04/01 18:44
S37	41	((348/372).CCLS.) and remaining	USPAT	OR	ON	2005/04/01 18:45
S38	100	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2005/04/01 18:46
S39	95	battery adj level same warning	USPAT	OR	ON	2005/04/01 18:45
S40	88	batter\$3 near3 monitor same camera	USPAT	OR	ON	2005/04/01 18:45
S41	63	smart adj battery with capacity	USPAT	OR	ON	2005/04/01 18:46
S42	29	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/04/01 18:46
S43	172	(348/372).CCLS.	USPAT; USOCR	OR	OFF	2005/04/01 19:06
S44	2279	(indicat\$4 with cell) same batter\$3	USPAT	OR	ON	2005/11/10 11:08
S45	90	(indicat\$4 with number near3 cell) same batter\$3	USPAT	OR	ON	2005/11/10 11:08
S46	9	((348/372).CCLS.) and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2005/11/10 14:23
S47	115	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2005/11/10 14:23
S48	8	"348"/\$ and (remain\$3 with battery) and warn\$3 and subtract\$3	USPAT	OR	ON	2005/11/10 14:04
S49	180	(348/372).CCLS.	USPAT; USOCR	OR	OFF	2005/11/10 14:04
S50	98	battery adj level same warning	USPAT	OR	ON	2005/11/10 14:04

EAST Search History

S52	20	battery adj level same warning and camera	USPAT	OR	ON	2005/11/10 14:04
S53	303	batter\$3 near3 remain\$3 with (warn\$3 or alarm\$3)	USPAT	OR	ON	2005/11/10 14:23
S54	4270	batter\$3 near3 monitor	USPAT	OR	ON	2005/11/10 14:04
S55	93	batter\$3 near3 monitor same camera	USPAT	OR	ON	2005/11/10 14:04
S56	1025	batter\$3 near information	USPAT	OR	ON	2005/11/10 14:23
S57	59	batter\$3 near information with processor	USPAT	OR	ON	2005/11/10 14:04
S59	64	smart adj battery with capacity	USPAT	OR	ON	2005/11/10 14:04
S60	311	low adj battery adj warning	USPAT	OR	ON	2005/11/10 14:23
S61	57	low adj battery adj warning with display	USPAT	OR	ON	2005/11/10 14:04
S62	18	camera same battery adj warning	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/10 14:04
S63	11	camera same battery adj alarm	US-PGPUB; USPAT; EPO; JPO	OR	ON	2005/11/10 14:04
S64	22	low adj battery adj warning and camera	USPAT	OR	ON	2005/11/10 14:04
S65	23	(video adj camera) same (smart adj battery)	USPAT	OR	ON	2005/11/10 14:04
S70	1	smart adj battery same maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:04
S71	32	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:16
S74	44	((348/372).CCLS.) and remaining	USPAT	OR	ON	2005/11/10 14:04
S75	98	battery adj level same warning	USPAT	OR	ON	2005/11/10 14:04
S76	93	batter\$3 near3 monitor same camera	USPAT	OR	ON	2005/11/10 14:04
S77	64	smart adj battery with capacity	USPAT	OR	ON	2005/11/10 14:04
S78	32	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/10 14:04

EAST Search History

S79	115	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2005/11/10 14:04
S81	3	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	USPAT	OR	ON	2006/05/11 14:27
S82	2	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	US-PGPUB	OR	ON	2006/05/11 14:28
S83	4	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 14:28
S85	10	((348/372).CCLS.) and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/11 14:48
S86	132	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/11 22:49
S87	10	"348"/\$ and (remain\$3 with battery) and warn\$3 and subtract\$3	USPAT	OR	ON	2006/05/11 14:48
S88	189	(348/372).CCLS.	USPAT; USOCR	OR	OFF	2006/05/11 19:11
S92	24	battery adj level same warning and camera	USPAT	OR	ON	2006/05/11 14:48
S93	323	batter\$3 near3 remain\$3 with (warn\$3 or alarm\$3)	USPAT	OR	ON	2006/05/11 22:49
S94	4449	batter\$3 near3 monitor	USPAT	OR	ON	2006/05/11 14:48
S95	99	batter\$3 near3 monitor same camera	USPAT	OR	ON	2006/05/11 14:48
S96	1089	batter\$3 near information	USPAT	OR	ON	2006/05/11 14:48
S97	62	batter\$3 near information with processor	USPAT	OR	ON	2006/05/11 17:31
S100	66	smart adj battery with capacity	USPAT	OR	ON	2006/05/11 14:48
S103	58	low adj battery adj warning with display	USPAT	OR	ON	2006/05/11 14:48
S105	19	camera same battery adj warning	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/11 14:48
S106	11	camera same battery adj alarm	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/11 14:48
S107	24	low adj battery adj warning and camera	USPAT	OR	ON	2006/05/11 14:48
S108	23	(video adj camera) same (smart adj battery)	USPAT	OR	ON	2006/05/11 14:48

EAST Search History

S11 4	1	smart adj battery same maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 14:48
S11 5	32	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/11 14:48
S12 0	48	((348/372).CCLS.) and remaining	USPAT	OR	ON	2006/05/11 17:32
S12 1	107	battery adj level same warning	USPAT	OR	ON	2006/05/11 14:48
S12 7	2331	(indicat\$4 with cell) same batter\$3	USPAT	OR	ON	2006/05/11 14:48
S12 8	94	(indicat\$4 with number near3 cell) same batter\$3	USPAT	OR	ON	2006/05/11 17:31
S13 1	10	((348/372).CCLS.) and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/11 17:22
S15 5	113	(348/372).CCLS.	US-PGPUB	OR	OFF	2006/05/11 22:50
S15 6	275	(320/106).CCLS.	USPAT	OR	OFF	2006/05/11 17:51
S15 7	260	(320/125).CCLS.	USPAT	OR	OFF	2006/05/11 17:51
S15 8	27	(320/125).CCLS.	US-PGPUB	OR	OFF	2006/05/11 17:23
S15 9	38	(320/106).CCLS.	US-PGPUB	OR	OFF	2006/05/11 17:23
S16 1	48	(smart adj2 batter\$4) and low near5 (warn\$3 or alarm\$3 or alert\$3)	USPAT	OR	ON	2006/05/11 20:57
S16 2	13	(smart adj2 batter\$4) and low same subtract\$4	USPAT	OR	ON	2006/05/11 20:30
S16 3	2	(smart adj2 batter\$4) and low same subtract\$4	US-PGPUB	OR	ON	2006/05/11 20:30
S16 4	0	(smart adj2 batter\$4) and low same subtract\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/11 20:31
S16 5	301	(S156 or S157) and cell	USPAT	OR	ON	2006/05/11 20:57
S16 6	54	(S156 or S157) and subtract\$4	USPAT	OR	ON	2006/05/11 20:57

EAST Search History

S16 7	42	(S156 or S157) and subtract\$4 and cell	USPAT	OR	ON	2006/05/12 16:31
S16 8	10	(battery or batteries) and (low near\$4 power near\$4 (warn\$3 or alarm\$3 or alert\$3)) same correct\$4	USPAT	OR	ON	2006/05/11 21:00
S16 9	9	("5150031" "5166623" "5184059" "5185566" "5200688" "5241259" "5317249" "5325040" "5371453").PN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/05/11 21:15
S17 0	4	("5684387").URPN.	USPAT	OR	ON	2006/05/11 21:34
S17 2	14933	(battery or batteries) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3))	USPAT	OR	ON	2006/05/11 21:35
S17 3	7096	(battery or batteries) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) same (voltage or value))	USPAT	OR	ON	2006/05/11 21:36
S17 4	64	(battery or batteries) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) same (voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/11 21:39
S17 5	21	(battery or batteries) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) with (voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/11 21:40
S17 6	24	(battery or batteries) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) with (power or voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/11 21:40
S17 7	6	(320/126).CCLS.	US-PGPUB	OR	OFF	2006/05/11 22:51
S17 8	115	(320/126).CCLS.	USPAT	OR	OFF	2006/05/12 13:11
S18 0	386	(320/132-136).CCLS.	US-PGPUB	OR	OFF	2006/05/12 16:31
S18 1	1516	(320/132-136).CCLS.	USPAT	OR	OFF	2006/05/12 16:31
S18 3	40	(S180 or S181) and (subtract\$4 same cell)	USPAT	OR	ON	2006/05/12 17:07

EAST Search History

S18 4	10	(S180 or S181) and (subtract\$4 same cell)	US-PGPUB	OR	ON	2006/05/12 17:08
S18 5	510	(S180 or S181) and (alarm\$3 or alert\$3 or warn\$4)	US-PGPUB; USPAT	OR	ON	2006/05/12 17:09
S18 6	266	(S180 or S181) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3))	US-PGPUB; USPAT	OR	ON	2006/05/12 17:09
S18 7	186	(S180 or S181) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3))	US-PGPUB; USPAT	OR	ON	2006/05/12 17:09
S18 8	34	(S180 or S181) and (cell same ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3)))	US-PGPUB; USPAT	OR	ON	2006/05/12 17:10
S18 9	0	((("US7031556B1") or ("US7019782B2") or ("US7006686B2") or ("US7003172B2") or ("US6940554B2") or ("US6940550B2") or ("US6933971B2"))).PN.	USPAT	OR	OFF	2006/05/16 14:58
S19 0	7	((("7031556") or ("7019782") or ("7006686") or ("7003172") or ("6940554") or ("6940550") or ("6933971"))).PN.	USPAT	OR	OFF	2006/05/16 14:58

EAST Search History

S19 1	48	(US-5721482-\$ or US-5142320-\$ or US-6437536-\$ or US-5870685-\$ or US-6291967-\$ or US-6362851-\$ or US-5565759-\$ or US-5872444-\$ or US-6584329-\$ or US-6025695-\$ or US-6384572-\$ or US-6377028-\$ or US-6157169-\$ or US-6064183-\$ or US-6294894-\$ or US-5619118-\$ or US-5633573-\$ or US-6285158-\$ or US-5982151-\$ or US-6104163-\$ or US-6747436-\$ or US-5903131-\$ or US-5796239-\$ or US-5541656-\$ or US-5600230-\$ or US-5905362-\$).did. or (US-4598243-\$ or US-5727241-\$ or US-5541489-\$ or US-6597339-\$ or US-5963255-\$ or US-6434337-\$ or US-6586940-\$ or US-6509717-\$ or US-5166623-\$ or US-5990664-\$ or US-5804894-\$ or US-5164652-\$ or US-6400123-\$ or US-6956356-\$ or US-4269494-\$ or US-5572110-\$ or US-5218288-\$ or US-5635813-\$ or US-6154004-\$ or US-5714870-\$ or US-5684387-\$ or US-6809649-\$).did.	USPAT	OR	ON	2006/05/17 12:07
S19 2	17	S191 and subtract\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 12:08
S19 3	48	((348/372).CCLS.) and remaining	USPAT	OR	ON	2006/05/17 13:43
S19 4	10	((348/372).CCLS.) and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/17 13:43
S19 5	133	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/17 13:43
S19 6	10	"348"/\$ and (remain\$3 with battery) and warn\$3 and subtract\$3	USPAT	OR	ON	2006/05/17 13:43
S19 7	191	(348/372).CCLS.	USPAT; USOCR	OR	OFF	2006/05/17 13:43
S20 0	24	battery adj level same warning and camera	USPAT	OR	ON	2006/05/17 13:43
S20 1	324	batter\$3 near3 remain\$3 with (warn\$3 or alarm\$3)	USPAT	OR	ON	2006/05/17 13:43
S20 2	4458	batter\$3 near3 monitor	USPAT	OR	ON	2006/05/17 13:43

EAST Search History

S203	100	batter\$3 near3 monitor same camera	USPAT	OR	ON	2006/05/17 13:43
S204	1092	batter\$3 near information	USPAT	OR	ON	2006/05/17 13:43
S205	63	batter\$3 near information with processor	USPAT	OR	ON	2006/05/17 13:43
S207	66	smart adj battery with capacity	USPAT	OR	ON	2006/05/17 13:43
S209	323	low adj battery adj warning	USPAT	OR	ON	2006/05/17 13:43
S210	58	low adj battery adj warning with display	USPAT	OR	ON	2006/05/17 13:43
S211	19	camera same battery adj warning	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/17 13:43
S212	11	camera same battery adj alarm	US-PGPUB; USPAT; EPO; JPO	OR	ON	2006/05/17 13:43
S213	24	low adj battery adj warning and camera	USPAT	OR	ON	2006/05/17 13:43
S214	23	(video adj camera) same (smart adj battery)	USPAT	OR	ON	2006/05/17 13:43
S220	1	smart adj battery same maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 13:43
S221	32	smart adj battery and maximum adj capacity	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/05/17 13:43
S224	48	((348/372).CCLS.) and remaining	USPAT	OR	ON	2006/05/17 13:43
S225	107	battery adj level same warning	USPAT	OR	ON	2006/05/17 13:43
S228	133	"348"/\$ and (remain\$3 with battery) and warn\$3	USPAT	OR	ON	2006/05/17 13:43
S230	2333	(indicat\$4 with cell) same batter\$3	USPAT	OR	ON	2006/05/17 13:43
S247	324	batter\$3 near3 remain\$3 with (warn\$3 or alarm\$3)	USPAT	OR	ON	2006/05/17 13:43
S248	323	low adj battery adj warning	USPAT	OR	ON	2006/05/17 13:43

EAST Search History

S24 9	1092	batter\$3 near information	USPAT	OR	ON	2006/05/17 13:43
S25 0	3	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	USPAT	OR	ON	2006/05/17 13:43
S25 1	2	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	US-PGPUB	OR	ON	2006/05/17 13:43
S25 2	4	batter\$4 same cell same (alarm\$3 or alert\$3 or warn\$4) same subtract\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 13:43
S25 7	27	(320/125).CCLS.	US-PGPUB	OR	OFF	2006/05/17 13:43
S25 8	38	(320/106).CCLS.	US-PGPUB	OR	OFF	2006/05/17 13:43
S25 9	94	(indicat\$4 with number near3 cell) same batter\$3	USPAT	OR	ON	2006/05/17 13:43
S26 4	13	(smart adj2 batter\$4) and low same subtract\$4	USPAT	OR	ON	2006/05/17 13:43
S26 5	2	(smart adj2 batter\$4) and low same subtract\$4	US-PGPUB	OR	ON	2006/05/17 13:43
S26 6	0	(smart adj2 batter\$4) and low same subtract\$4	USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/05/17 13:43
S26 7	24	(battery or batteries) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) with (power or voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/17 13:43
S26 8	21	(battery or batteries) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) with (voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/17 13:43
S26 9	64	(battery or batteries) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3) same (voltage or value) same subtract\$4)	USPAT	OR	ON	2006/05/17 13:43
S27 1	10	(battery or batteries) and (low near4 power near4 (warn\$3 or alarm\$3 or alert\$3)) same correct\$4	USPAT	OR	ON	2006/05/17 13:43
S27 2	276	(320/106).CCLS.	USPAT	OR	OFF	2006/05/17 14:06

EAST Search History

S27 3	260	(320/125).CCLS.	USPAT	OR	OFF	2006/05/17 14:06
S27 4	42	(S272 or S273) and subtract\$4 and cell	USPAT	OR	ON	2006/05/17 13:43
S27 5	54	(S272 or S273) and subtract\$4	USPAT	OR	ON	2006/05/17 13:43
S27 6	302	(S272 or S273) and cell	USPAT	OR	ON	2006/05/17 13:43
S27 7	48	(smart adj2 batter\$4) and low near5 (warn\$3 or alarm\$3 or alert\$3)	USPAT	OR	ON	2006/05/17 13:43
S28 0	276	(320/106).CCLS.	USPAT	OR	OFF	2006/05/17 13:43
S28 1	260	(320/125).CCLS.	USPAT	OR	OFF	2006/05/17 13:43
S28 4	113	(348/372).CCLS.	US-PGPUB	OR	OFF	2006/05/17 13:43
S28 5	6	(320/126).CCLS.	US-PGPUB	OR	OFF	2006/05/17 13:43
S28 6	115	(320/126).CCLS.	USPAT	OR	OFF	2006/05/17 13:43
S28 7	386	(320/132-136).CCLS.	US-PGPUB	OR	OFF	2006/05/17 14:06
S28 8	1517	(320/132-136).CCLS.	USPAT	OR	OFF	2006/05/17 13:43
S28 9	40	(S287 or S288) and (subtract\$4 same cell)	USPAT	OR	ON	2006/05/17 13:43
S29 0	10	(S287 or S288) and (subtract\$4 same cell)	US-PGPUB	OR	ON	2006/05/17 13:43
S29 1	510	(S287 or S288) and (alarm\$3 or alert\$3 or warn\$4)	US-PGPUB; USPAT	OR	ON	2006/05/17 13:43
S29 2	266	(S287 or S288) and ((low or min or minimum) same (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3))	US-PGPUB; USPAT	OR	ON	2006/05/17 13:43
S29 3	186	(S287 or S288) and ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3))	US-PGPUB; USPAT	OR	ON	2006/05/17 13:43
S29 4	34	(S287 or S288) and (cell same ((low or min or minimum) with (cutoff or cut\$off or warn\$3 or alarm\$3 or alert\$3)))	US-PGPUB; USPAT	OR	ON	2006/05/17 13:43
S29 5	1	"6812962".pn.	USPAT	OR	ON	2006/05/17 17:47